


RAW SEQUENCE LISTING ERROR REPORT

BIOTECHNOLOGY
SYSTEMS
BRANCH



0590
0528

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/085,418D
Source: C 118
Date Processed by STIC: 4/1/03

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.

PATENTIN ASSISTANCE: e-mail: robert.wax@uspto.gov Telephone: 703-306-4119

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/efc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
EFFECTIVE MAY 1, 2003 (via USPS): Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to:
U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name,
Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
Or
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two,
2011 South Clark Place, Arlington, VA 22202

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/085,418D

[illegible]

ACKNOWLEDGMENTS

Input File : A:\pto.vsk.txt

Output File : N:\CRF4\04012003\J085418D.raw

SEQUENCE LISTING

3 (1) GENERAL INFORMATION:

4 (i) APPLICANT: ZENECA LIMITED . . .

5 (ii) TITLE OF INVENTION: GENE SILENCING

(iii) NUMBER OF SEQUENCES: 3

(iv) CCRKES: ODDENCE ADDRESS:

8 (A) ADDRESSEE: 1F DEPT., ZENECA AGROCHEMICALS

9 (B) STREET: JEALOTTS HILL RESEARCH STATION,

10 (C) CITY: BRACKNELL.

11 (D) STATE: BERKSHIRE

12 (F) ZIF: RG42 6ET

(v) COMPUTER READABLE FORM

14 (A) MEDIUM TYPE: Floppy

15 (B) COMPUTER: IBM PC compati

16 (C) OPERATING SYSTEM: PC-DOS/MS-DOS

17 (D) SOFTWARE: PatentIn Release #1.0, Version #1.15

18 (vi) CURRENT APPLICATION DATA:

C--> 19 (A) APPLICATION NUMBER: US/10/085,418D

C--> 20 (B) FILING DATE: 25-Mar-2003

21 (C) CLASSIFICATION:

22 (viii) ATTORNEY/AGENT INFORMATION:

23 (A) NAME: HUSKISSON, FRANK M

24 (ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 01344 474822

ERRORED SEQUENCES

1. *Journal of the American Medical Association*, 1997; 277: 1033-1036.

[illegible]

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses in all cases. Error bars represent the standard error of the mean.

4. (10) **TOLEDO:** Toledo

(11) **NOTICE TYPE:** DNA (D-1, B-1, C-1)[illegible]

Figure 1. The effect of the concentration of the *Agrobacterium* suspension on the transformation efficiency of *Agrobacterium* strains. The number of transformed cells was determined by the number of colonies obtained on the selective medium. The results are the mean of three independent experiments. Error bars represent standard deviation.

the 1990s, the number of people in the world who are under 15 years of age is expected to increase from 1.1 billion to 1.5 billion. The number of people aged 65 and over is expected to increase from 200 million to 400 million. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion. The number of people aged 15 and over is expected to increase from 3.5 billion to 4.5 billion.

RAW SEQUENCE LISTING

PATENT APPLICATION N: US/10/085,418D

DATE: 4 11 2003
TIME: 14:00

Input File : A:\pto.vsk.txt

Output File : N:\CRF4\04012003\J085418D.raw

E--> 43 AAATTTGATA GATTCAGTTT TTATGTTTTT AGTGCTGATT ACAACATTGA AATTCTAAAT
W--> 44 60
E--> 45 TTAGAATTTA ATATTTATTA AATGTTAGTG CATTTATACA AATAACATAT TACATCTCAA
W--> 46 120
E--> 47 ATAATATTGA GTTTGTTAGA TTTTATTGTC CCTGATTCTT TATCATAAAT AGGTTTTTCCT
W--> 48 180
E--> 49 TTTAGGAAAA GGTTTTGAAT TGAATATTCT TTTTTTGGTA GGAAAAAGTT TAGGACTCTA
W--> 50 240
E--> 51 TAAATAGAGG CATGTTTCCTT CTAACCTAAT TAGCATTAC AATGTAGTTT TAAGGGCTTT
W--> 52 300
E--> 53 GAGAGTTTTG GTTAGAGGGA GAATTTGTGA ACCTCTCATG TATTCCGAGT GAATTGGTTG
W--> 54 360
E--> 55 AGGTTGTTTC CCTCTGTATT TTGTACTCTC ATGTTTATAG TGGATTGCTC ATTTCTTTTG
W--> 56 420
E--> 57 TGGACGTAGG TCGATTGACC GAACCACGTT AAATTTTTGT GTCTTTTGGT ATATTTCTCG
W--> 58 480
E--> 59 TTCTTCTTAC TCGTGGTCTT TCGAGGTTTG CTTTGCTAGC TTCCGCGTTT ACACCTGCTT
W--> 60 540
E--> 61 ATTTTCGGTC CTAACAAGTG GTATCAGAGC CAGATTCAAT AATGGAGTCA GGTGTAGTGG
W--> 62 600
E--> 63 TTCGATAATC GATGATTGAA CCAAGTTAGA AAGAGGTGTT CATCTTGACG GGTGTAGTTC
W--> 64 660
E--> 65 TAGCCGCAAC CTTTTTGACA GTAATGAAGA TTTTGATGGA GAAATTGTTT CAGAGAGGTT
W--> 66 720
E--> 67 CTCTGTGTTG AGACATAAAT TTTGTAAAGG AGATTATGGA GAGGAGAAGC AAGTTGTTGA
W--> 68 780
E--> 69 AGATTAAGTA AAGAAGGTGG ACAAATCTAT TTTGTCAGAA ATTCAGGCCA AGGGGGAGAT
W--> 70 840
E--> 71 TTGTTGGGTT TTATTTGCCC TGATTTTTTA CCATAAATAG GTTTTCCTTT AAGGAAAAGG
W--> 72 900
E--> 73 TTTTGAATTG ACTATTCTTT TTTTGGTAGG AAAAGGTTTA GGATTCTATA AATAGAGGCA
W--> 74 960
E--> 75 TGTTCTTCTT AACTTAATTA GCATTCACAA TGTAGTTTTA AGGGCTTTGA GAGTTTTGGT
W--> 76 1020
E--> 77 TAGAGGGAGA ATTTGTGAAC CTCTCATGTA TTCCGAGTGA ATTGGTTGAG GTTGTTCCTC
W--> 78 1080
E--> 79 TCTGTATTTT GTACTCTCAT GTTTATAGTG GATTGCTCAT TTCCTTTGTG GACGTAGGTC
W--> 80 1140
E--> 81 GATTGACCGA ACCACGTTAA ATCTTTGTGT CTTTGGTAT ATTTCTCGTT GTCTTCTTAC
W--> 82 1200
E--> 83 TCGTGGTCTT TCGAGGTTTG CTTTGCTAGC TTCCGCGTTT ACACCTGCTT ATTTGCGGTC
W--> 84 1260
E--> 85 CTAACAGAGT TCGATGGGTT GAATCTATAA AAAGAAAAAT AACTCGTGA TTCACGATTA
W--> 86 1320
E--> 87 TTTATATGAA AATATAATAA ATATTGAATT TCCTTTGCTA TTTCTTATGT TTACGTCTTT
W--> 88 1380
E--> 89 ATATTTCAAA TTATTCCACC AATACTGACA AGCCCTAGGC CATCTCTAGG AAATTCATAC
W--> 90 1440
E--> 91 AATTTTTTTT TGGTGGTAA GAACTTAAT TCCGAGGCTT AAAGATTATG GTAAATTCGA

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/085,418D

DATE: 4-11-05
TIME: 14:10:00

Input File: A:\pto.vsk.txt

Output File: N:\CRF4\04012003\J085418D.raw

W--> 92 1500
E--> 93 AGGCAACTTC CTCAAGTACT ACAACTACAT TGTAACATCC CAGTCAAAGT GTCCTAAAAT
W--> 94 1560
E--> 95 TTTATAAAAT TTGACACATG AAACAATAGC ACAATAAATT TTAGTACTAT TGCAGCCATG
W--> 96 1620
E--> 97 GCCCATAAGC CATCATGTAT TATAGTCAAA ATGGGTCCTT TTCCAATTTG TCTTGATCCC
W--> 98 1680
E--> 99 AAAATCCCTT TGTAGGTAAG ATGGTTCAAC AAGGAACTAT GACTCTTAAG GTAGACTTGG
W--> 100 1740
E--> 101 ACTCATAGAC TTGTCATAAC TCATAAAGAC TTGGAATATA ATAATTATTC ATTTAAATTA
W--> 102 1800
E--> 103 TAATTCTCTA CTTTAATATC TTCTACTATA AATACCCTTT CAAAGCCTCA TTATTTGTAC
W--> 104 1860
E--> 105 ATCAAACATT GATATTCATC TCTTCAATCT TTTGTATTCA CATATTCTAT TTATTCAATA
W--> 106 1920
E--> 107 CACTTAGGAA AACACTTTAC CAAGAAATTA AGATGGAGAA CTTCCCAATT ATTAAGTTGG
W--> 108 1980
E--> 109 AAAAGCTCAA TGGAGATGAG AGAGCCAACA CCATGGAAAT GATCAAAGAT GCTTGTGAGA
W--> 110 2040
E--> 111 ATTGGGGCTT CTTTGAGGTA ATCATAAATT ACATAAACAT ATTAATATGT TTGTTTCAAT
W--> 112 2100
E--> 113 TTATCAGTCA TACTTTTCTC TGTTTTAAAA TTAATGTCAC TTTCAATATT TAATAATTGC
W--> 114 2160
E--> 115 CATGACATGT TTATAACACA ACAAGATATA GGTTACATTT TGATACATTA TATATAACTT
W--> 116 2220
E--> 117 CTGTCACACG ACTCAAAAGT CTTTCTTAAT TTCTTGAATT CAATGATCGA TCAAACCTAG
W--> 118 2280
E--> 119 ACACGTAAAA TGAAACGGGG AATAGTAATT CTGTTTGCTT ATGTGATCAT TGTAGTTGGT
W--> 120 2340
E--> 121 GAACCATGGA ATTCCACATG AAGTAATGGA CACAGTAGAG AAAATGACAA AGGGACATTA
W--> 122 2400
E--> 123 CAAGAAGTGC ATGGAACAGA GGTTTAAGGA ACTAGTGGCA AGTAAGGGAC TTGAGGCTGT
W--> 124 2460
E--> 125 TCAAGCTGAG GTTACTGATT TAGATTGGGA AAGCACTTTC TTCTTGCGCC ATCTTCCTAC
W--> 126 2520
E--> 127 TTCTAATATC TCTCAAGTAC CCGATCTTGA CGAAGAATAC AGGTACATAC ATGTGTCCTA
W--> 128 2580
E--> 129 CATATTGCGT ATATAATAAA TAAACACAAA ATTTAAGTTA TATACGCTGA CAGTATAACT
W--> 130 2640
E--> 131 AATTATAATG TTGTACCAAA TGATGCAGAG AGGTGATGAG AGATTTTGCT AAAAGATTGG
W--> 132 2700
E--> 133 AGAAATTGGC TGAGGAGTTA CTTGACTTAC TCTGTGAAAA TCTTGGAATT GAAAAAGGTT
W--> 134 2760
E--> 135 ACTTGAAAAA TGCCTTTTAT GGATCAAAAG GTCCCAACTT TGGTACTAAA GTTAGCAACT
W--> 136 2820
E--> 137 ATCCACCATG TCCTAAGCCC GATTTGATCA AGGGACTCCG CGCTCATACA GACGCAGGAG
W--> 138 2880
E--> 139 GCATCATACT TCTGTTCCAA GATGACAAAG TGAGTGGCCT TCAACTCCTC AAAGACGAGC
W--> 140 2940

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/085,418D

DATE: 04-10-2003
TIME: 14:00:00

Input File : A:\pto.vsk.txt

Output File : N:\CRF4\04012003\J085418D.raw

```
E--> 141 AATGGATCGA TGTCCTCCC ATGCGCCACT CTATTGTGGT TAACCTTGGT GACCAACTTG
W--> 142 3000
E--> 143 AGGTACAAGA TTCACTAAGT GTGTGTGTTT TTATCACTAT AACTTAGAAG TAGTAACTAA
W--> 144 3060
E--> 145 AAATGGTATT AATGAAATGT TATAAAAACA GGTGATCACT AACGGGAAGT ACAAGAGTGT
W--> 146 3120
E--> 147 GCTGCACAGA GTAATTGCAC AAACAGACGG GACACGAATG TCATTAGCCT CATTTTACAA
W--> 148 3180
E--> 149 TCCAGGAAGT GATGCAGTAA TATATCCAGC AAAAAGTTTG GTTGAAAAAG AGGCAGAGGA
W--> 150 3240
E--> 151 AAGTACACAA GTGTATCCAA AGTTTGTGTT TGATGATTAC ATGAAGTTAT ATGCTGGACT
W--> 152 3300
E--> 153 CAAGTTTCAA GCCAAAGAGC CAAGATTTGA AGCAATGAAG GCAATGGAAA GTGATCCAAT
W--> 154 3360
E--> 155 TGCAAGTGCT TAGATCCCAA TTCAATTAAA AAAATTGGTG TTTGAAAAAT ATATTTAAAT
W--> 156 3420
E--> 157 ATAGCAATCT ATGTATACAC ATTATTTGCT CTTCTTATGT ATGGTAGAAT AAAGTTAGTA
W--> 158 3480
E--> 159 TTAAAAAAGA TTGTGATTTG CTGCATATGT ATCAAAAAGA GTCCTAATAT TTGTATCTAT
W--> 160 3540
E--> 161 AAATAAGGTG CCTTCTAGTG AAATTATACA AATAATAATT TGGAGTGTAT TGTTCTTTCT
W--> 162 3600
E--> 163 CATGTAATTT AACTTTTAAG TATCTTACTT TACAATATAC TGTTCACTTA TTGAACATAT
W--> 164 3660
      165 TGAGTGATAT ATTGACTCAA T 3681
```


VERIFICATION SUMMARY

PATENT APPLICATION N: US/10/085,418D

DATE: 4/16/03

TIME: 14:10:14

Input File : A:\pto.vsk.txt

Output File : N:\CRF4\04012003\J085418D.raw

1:130 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1
1:131 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1
1:134 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1
1:136 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1
1:138 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1
1:140 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1
1:141 M:556 W: Invalid Amino Acid Number in Coding Region, SEQ ID:1